

# Four<sup>®</sup> Meeting

*Design: Strand & Hvass / Concept: Four Design*




Four<sup>®</sup>Meeting is your evident choice for a foldable conference table in a functional and aesthetic design. The table is easily folded by one person, and two integrated castors let you handle the table without effort.

The table is available in 3 different standard sizes. It is possible to upgrade Four<sup>®</sup>Meeting with chair suspensions, linking device and cable duct.

# Four<sup>®</sup> Meeting

*Design: Strand & Hvass / Concept: Four Design*



## Materials:

Table tops:

Chip board with high-pressure laminate or Fenix-Nano laminate and ABS edge. Thickness 21 mm.

MDF board with linoleum and linoleum edges. Thickness 23 mm.

Frame:

Legs:  $\varnothing 32 \times 2$  mm., S235 steel, EN 10305-3 F300C

Rail: Aluminium EN AW-6063 T.

Folding mechanism: Domex 240 – FE 360 D2 steel

2 integrated castors PUR/PA6

2 height adjustment glides: LDPE

Rubber cushions: EPDM Gummi

Spacer blocks: LDPE

Cable duct: Aluminium

## Dimensions:

Table height: 72,5 cm. Folded: H15 cm.

Special sizes and heights can be delivered on request.

125 x 125 cm, 37,5 kg


140 x 125 cm, 39 kg

144 x 125 cm, 40 kg

\*We kindly refer to our price list for dimensions on other models.

# Four<sup>®</sup> Meeting

Design: Strand & Hvass / Concept: Four Design




LAMINATE




LAMINATE




LAMINATE



FENIX  
NANO-LAMINATE



FENIX  
NANO-LAMINATE



FENIX  
NANO-LAMINATE



LINOLEUM

## Models:

**Table tops:** High pressure laminate /  
Fenix-Nano laminate / Linoleum

**Frame:** Four-leg

**Frame surface:** Chrome (III) / Mat white (RAL9010) /  
Mat black (RAL 9005) / Mat Grey (RAL7039)

## Accessories:

- Chair Suspension
- Cable duct
- Linking device

# Four<sup>®</sup> Meeting

*Design: Strand & Hvass | Concept: Four Design*

## **ISO14001:**

We are aware of our environmental responsibilities. We strive towards a minimal burden in the internal and external environment. The internal environment is evaluated through a careful examination of components and materials used in the production manufacturing processes. The external environment is monitored through laws and regulations.

It is important to Four Design that our suppliers abide to the environmental laws regarding production and handling of waste materials. It is our goal to always use environmentally friendly raw materials. Four Design A/S can document our commitment to the environment.

We have been awarded the Miljøforum Fyn's Environment Diploma and obtained the ISO14001 certificate in 2011.

## **Recycling:**

General: Tables must be separated into parts (table tops and metal parts).

Metal parts: All metal parts on Four Design tables can be disposed of and recycled by an approved environment and raw materials organization. Lacquered frames are treated with a paint classified as not dangerous according to directive 1999/45/EF.

Table tops on Four Design tables cannot be reused, and must be disposed of in the incinerator.

## **Maintenance:**

We kindly refer to our Maintenance Guide:  
[http://www.fourdesign.dk/pdf/FourDesign\\_Cleaning.pdf](http://www.fourdesign.dk/pdf/FourDesign_Cleaning.pdf)

## **Warranty:**

Four Design provides an extended warranty of 5 years on all products in our official price list.

The warranty covers breakage of frames and damage occurred because of deficient craftsmanship performance under normal use.

The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

## **Tests:**

PolysHELLS: ZEK / 01.2-08, Testing and Validation of Polycyclic Aromatic Hydro-carbons (PAH).  
All products from Four Design are PVC-free.

Four<sup>®</sup>Meeting

- EN 15372 L2

Surfaces, table tops (Laminate, painted):

- DS/INF. 132, 2002
- DS/EN 12720, 2009
- DS/EN 12722, 2009
- SIS 839117
- SS 83 91 22, 1981

High pressure laminate:

- DIN EN 120 (1992), E1-quality (Formaldehyde emission).